ADVERSE DRUG REACTION BULLETIN

LIPPINCOTT WILLIAMS & WILKINS

SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION BULLETIN

Nos 206–211 February 2001–December 2001

SUBJECT INDEX

acne, 789
adverse drug reactions
  black triangle drugs, 795, 796
causality, 792
  classification, 791
  definition, 791
estimate of cost and magnitude, 791
  genetic variability, 798
  signals, 791, 796
spontaneous reporting systems, 791
adverse drug reactions to lithium, 787–90
agitation, 799, 809
agranulocytosis, 789, 790, 792, 805–806
akinesia paradoxica, 809
alopecia, 789
anaemia
  aplastic, 789
haemolytic, 804, 805
anaphylactoid reactions, 807
anorexia, 789
anxiety, 787, 809
apnoea, 809
arrhythmias, 808
arthralgia, 808
ataxia, 787

Bayesian confidence propagation neural network, 797
bloating, 789
blood pressure
  oscillations, 800
bone necrosis, 808
bronchospasm, 807, 809

cancer
  bladder, 808
cardiomegaly, 809
catatonia, 799, 800, 801
Committee on Safety of Medicines, 793, 795, 796
confusion, 787, 808, 809
convulsions, 788, 793, 807
Coombs's test, 804
creatine kinase
increased, 800
CSM. *See* Committee on Safety of Medicines
cyanosis, 789, 809

Darier's disease, 789
DAT. *See* Coombs's test
dermatitis
  contact, 807
  exfoliative, 789
detecting adverse drug reactions, 791–798
diabetes insipidus, 788
diarrhoea, 789, 808
drug interaction
  lithium/diuretics, 790
lithium/neuroleptic drugs, 788
lithium/NSAIDs, 790
lithium/SSRIs, 788, 790
drug-associated blood dyscrasias, 803–806
dysarthria, 787, 800
dyskinesia, 809
dysphagia, 800
dystonia, 809

Ebstein's anomaly, 789
EMEA. *See* European Medicines Evaluation Agency
epidemiological studies, 792
erythema multiforme, 789
Esurient, 795
Eudrawatch, 795
European Medicines Evaluation Agency, 795, 797
exophthalmus, 789
extrapyramidal symptoms, 800

fatigue, 787
fever, 800, 801, 804
Food and Drug Administration (FDA), 796

G-6-PD deficiency, 805
geographic tongue, 789
glomerulosclerosis, 788
goitre, 788–789

haemoglobinaemia, 804
haemoglobinuria, 804
haemolysis, 804, 805
headache, 807
HIT. *See* thombocytopenia
hyperactivity, 809
hypercalcaemia, 788, 789
hyperglycaemia, 789

hypertension, 807, 808
hyperthyroidism, 789
hypothyroidism, 788–789
  congenital, 789
hypoxia, 800

ichthyosis, 789
incontinence, 800

keratosis follicularis, 789

L'Agence Française des Médicines, 795
leukaemia, 789, 808

MCA. *See* Medicines Control Agency
Medicines Control Agency, 795
MedWatch, 796, 797
metabolic acidosis, 800
mouth
  dry, 788, 789
muscular weakness, 787
myoclonus, 788, 800
myopathy, 800

narcotic bowel syndrome, 808
nausea, 789
nephropathy, 788
nerve damage, 788
neuroleptic malignant syndrome, 790, 799–802
  clinical characteristics, 800
  differential diagnosis, 801
  epidemiology, 799
  pathogenesis, 802
treatment, 800, 801
neuropathy, 800
neurotoxicity, 787, 790
neutropenia, 805
nocturia, 788
nystagmus, 789

obtundation, 800

palsy, 788
papilloedema, 789
paradoxical reactions to commonly used drugs, 807–810
paraesthesia, 788
photophobia, 789
pityriasis versicolor, 789
polycythaemia, 809
polydipsia, 788
polyuria, 788, 789
prescription event monitoring, 793, 796, 797
pseudomembranous colitis, 809
psoriasis, 789
psychosis, 790

renal failure, 800, 804
rhabdomyolysis, 800, 801
rigidity, 800, 801
  cogwheel, 800

scotomas, 789
sialorrhoea, 800
slurred speech, 787
somnabulism, 788
status epilepticus, 808
sweating, 800
systemic lupus erythematosus, 808

tachycardia, 800, 808
tachypnoea, 800
tardive dyskinesia, 788
teratogenesis, 789
thrombocytopenia, 793, 803–804, 806, 808
  heparin-induced, 804, 808
thrombotic thrombocytopenic purpura–haemolytic–uraemic syndrome, 804
torsade de pointes, 808
tremor, 787, 800, 809
TTP-HUS. *See* thrombotic thrombocytopenic purpura–haemolytic–uraemic syndrome

Uppsala Monitoring Centre, 795, 797, 798

vision
  impairment, 789
vomiting, 789

World Health Organisation (WHO), 791, 795, 797

Yellow Card scheme, 793

DRUG INDEX

A capital initial letter indicates a proprietary name, chemical name, or abbreviation. The symbol ® also indicates a proprietary preparation

5-fluorouracil, 805

abacavir, 798
acebutolol, 808
acetaminophen. *See* paracetamol
albendazole, 805
aminoglutethimide, 804
amiodarone, 804, 808
amphotericin B, 804
ampicillin, 805
anaesthetics, 807
antihistamines, 807
antipsychotic drugs, 802
antiretroviral drugs, 809
aspirin, 804, 807

beclometasone, 809
benzocaine, 807

captopril, 805
carbamazepine, 804, 808
carbimazole, 805
carbon tetrachloride, 805
cefotaxime, 809
cefuroxime, 809
chlorozotocin, 805
chlorpromazine, 806
ciclosporin, 804, 805
cimetidine, 805
cisplatin, 805
clarithromycin, 805
clindamycin, 809
clopidogrel, 804, 805
clozapine, 790, 805
cocaine, 801, 805
codeine, 807
corticosteroids, 806, 807–809
co-trimoxazole, 804, 805
cyclophosphamide, 808
cytarabine, 805

danaparoid, 808
danazol, 804, 805
dapsone, 809
daunorubicin, 805
defibrotide, 805
deoxycoformycin, 805
dexfenfluramine, 797
dextropropoxyphene, 807
diamorphine, 805
diatrizoate, 804
diclofenac, 804, 805
digoxin, 804
diphtheria, tetanus, pertussis vaccine, 793, 805
dipyridamole, 805
dipyrone, 805
doxycycline, 805
D-penicillamine, 805
droperidol, 800

Ecstacy. *See* methylenedioxymethamphetamine
epirubicin, 808
ergotamine, 807
ethinyl estradiol, 805
ethynodiol acetate, 805

famotidine, 805
fenfluramine, 797
flecainide, 808
flumazenil, 793, 809

gemcitabine, 805
glyceryl trinitrate, 808
gold, 804
guanethidine, 808

haloperidol, 799
heparin, 803–804, 808
hepatitis B vaccine, 805
heroin. *See* diamorphine
hydralazine, 809
hydrocortisone sodium phosphate, 807
hydrocortisone sodium succinate, 807
hydroxyurea, 805

indinavir, 804
influenza vaccine, 805
interferon-α, 805
interferon-β, 805

ketorolac, 805

labetalol, 808
levamisole, 804

levodopa, 801, 805, 809
levonorgesterel, 805
lidocaine, 807
lincomycin, 809
lithium, 787–790, 800

meclofenamate, 804
mefanamic acid, 805
methapyrilene, 805
methimazole, 805
methyldopa, 804, 805, 808
methylenedioxymethamphetamine, 801
methylprednisolone, 807
metoclopramide, 799
metronidazole, 805, 809
midazolam, 809
mitomycin C, 804, 805
MMR vaccine, 793, 805
monoamine oxidase inhibitors, 801

nimesulide, 805
non-steroidal anti-inflammatory drugs, 804, 805, 808
norethisterone, 805

OKT3, 805
opiates, 808
oxprenolol, 804
oxyphenbutazone, 808
oxytetracycline, 805

paracetamol, 804, 807
penicillin, 804, 805
phenacetin, 804
phenoxybenzamine, 808
phentermine, 797
phenylbutazone, 808
phenylephrine, 809
phenytoin, 808
piroxicam, 805
prilocaine, 807
primaquine, 805
procainamide, 804, 805, 808
prochlorperazine, 799
promethazine, 800
propafenone, 808
propofol, 807
propranolol, 809
propylthiouracil, 805
pyrimethamine, 809

quinidine, 803, 804, 808
quinine, 804, 805

rifampicin, 804, 805
rifampin. *See* rifampicin

salicylamide, 805
selegeline, 809
simvastatin, 805
sotalol, 808
succinylcholine, 801
sulfa drugs, 805
sulfisoxazole, 805

tacrolimus, 805
tamoxifen, 804
thalidomide, 793, 796, 798
ticlopidine, 804, 805

valaciclovir, 805
vancomycin, 804, 809